

Faculty Applied Computer Science

Example Admission Test B.Sc. Artificial Intelligence

Calculus

Question 1

Given the function $f(x) = (e^x)/(e^x-2)$, what is $f'(x)$?

- ☐ $f'(x) = (-2e^x)/(e^x-2)^2$
- ☐ $f'(x) = (-2e^x)/(e^x-2)$
- ☐ $f'(x) = (2e^x)/(e^x-2)^2$
- ☐ $f'(x) = (-2e^x)/(e^x+2)^2$

Question 2

Given the function $f(x) = 29x^3 + 8x^2 - 12x + 22$

What is the slope at point $x = 0$?

- ☐ -22
- ☐ -12
- ☐ 12
- ☐ 22

Question 3

What is the derivative of the function $f(x) = \sin(2x) - \cos(x)$?

- ☐ $f'(x) = -\cos(x) + \sin(x)$
- ☐ $f'(x) = \cos(2x) - \sin(x)$
- ☐ $f'(x) = -2\sin(x) + \cos(x)$
- ☐ $f'(x) = 2\cos(2x) + \sin(x)$

Question 4

For $f(x) = \cos(2x) + e^x + x^2$, what is $f'(x)$?

- ☐ $4\cos(2x) + 2$
- ☐ $4\sin(x) + e^x + 2$
- ☐ $-4\cos(2x) + e^x + 2$
- ☐ $-4\cos(x) + 2e^x$

Foundations of Computer Science

Question 5

Given is the following algorithm:

Method trib(n)

 If $n = 1$ or $n = 2$

 return 0

 Else If $n = 3$

 return 1

 Else

 return $\text{trib}(n-1) + \text{trib}(n-2) + \text{trib}(n-3)$

EndMethod

What is $\text{trib}(4)$?

- ☐ 1
- ☐ 4
- ☐ 0
- ☐ 3

Question 6

A balanced binary tree contains 250 elements. What is the maximum number of comparisons necessary to find an element in the tree?

- ☐ 250
- ☐ 1
- ☐ 8
- ☐ 25

Question 7

Given the following class for a staff management software:

Employer, attributes pid, name, working time, Methods: add working time

What are suitable data types to the attribute pid? (Several possible)

- ☐ float
- ☐ Int
- ☐ String
- ☐ blob

Question 8

How can you devise an algorithm that determines for any possible Java program input whether the program raises a NullPointerException?

- ☐ Such an algorithm can not exist
- ☐ Build a sophisticated parser for the grammar of Java
- ☐ Run topological sorting on the input
- ☐ Use machine learning to learn from labeled program inputs

Linear Algebra

Question 9

Given the planes A1: $4x - 2y + z = 7$ and A2: $x + by - 3z = 2$.

Calculate b so that A1 and A2 are perpendicular.

- ☐ $\frac{1}{2}$
- ☐ 0
- ☐ $\frac{1}{3}$
- ☐ 1

Question 10

Points A (1 | 1 | 1), B (0 | 2 | 2), and C (- 1 | 2 | 0) define the plane P. What is the equation of the plane P in point-normal form using A as position vector?

- ☐ $2x_1 - 3x_2 - x_3 + 4 = 0$
- ☐ $-2x_1 - 9x_2 + x_3 + 4 = 0$
- ☐ $-2x_1 - 3x_2 + x_3 + 4 = 0$
- ☐ $2x_1 - 9x_2 - x_3 + 4 = 0$

Question 11

A man takes a walk with 2 dogs. The angle between the dog leads is 50 degrees. To which angle (approximately) does the man move when one dog has double the power than the other?

- ☐ 14.2 °
- ☐ 14 °
- ☐ 0 °
- ☐ 13.1 °

Question 12

Find the magnitude of vector $v = \langle -3, -2 \rangle$

- ☐ $\sqrt{13}$
- ☐ 5
- ☐ 13
- ☐ $\sqrt{5}$

Probabilities

Question 13

A spinning wheel consists of five equally sized sectors. One of the sectors is labeled "0", one is labeled "1", and one is labeled "2"; the other two sectors are labeled "9".

The wheel is spun four times. Calculate the probability that the numbers 2, 0, 1, and 9 appear in the specified order.

- ☐ 2/125
- ☐ 1/125
- ☐ 2/625
- ☐ 1/625

Question 14

An assembly line in a company has an error rate of 2% -- i.e. 2% of all produced components are faulty. Assume that the error rate of randomly selected components follows a binominal distribution. With 50 components selected randomly, what is the probability that at least 6% of the components are faulty?

- ☐ 12.3%
- ☐ 10.9%
- ☐ 8.9%
- ☐ 7.8%

Question 15

The company InfiChip produces RAM memory chips with the machines M1, M2 and M3. The machines participate in the full production with following portions: M1 40%, M2 50% and M3 10%. The error rate of M1 is 4%, M2 8% and M3 10%.

A arbitrary selected chip is erroneous. What is the probability that it was produced with machine M1?

- ☐ 0.6134
- ☐ 0.2424
- ☐ 0.3145
- ☐ 0.2525

Question 16

Calculate the corrected sample standard deviation for the following sequence 9, 2, 5, 4, 12, 7.

- ☐ 10.916...
- ☐ 3.619...
- ☐ 13.1
- ☐ 3.304...